CALIFORNIA LICENSED MIDWIFE ANNUAL REPORT Summary

as of 7/7/2016 11:28:08 AM

SECTION A - Submission Summary

Number of Midwives Expected to Report	394
Number Reported	343
Number Unreported	51
Note: Depart Field Numbers 1 through 10 are and	cific to cook midwife woment as bookted and are not included in this

Note: Report Field Numbers 1 through 10 are specific to each midwife report submitted and are not included in this aggregation.

SECTION B - REPORTING PERIOD

Line No.	Report Year
11	2015

SECTION C - SERVICES PROVIDED IN CALIFORNIA - This report should reflect services provided in California

only.

Line No.		Total # Yes	Total # No
12	Did you or a student midwife supervised by you perform midwife services in the State of California during the year when the intended place of birth at the onset of your care was an out-of-hospital setting?	237	106

SECTION D - CLIENT SERVICES

Line No.		Total #
13	Total number of clients served as primary caregiver during this calendar year.	5528
14	Number of clients who left care for a non-medical reason. (DO NOT include these clients in any further categories on this report)	337
15	Total number of clients served whose births were still pending on the last day of this reporting year.	1342
16	Enter the number of clients served who also received collaborative care. IMPORTANT: SEE DEFINITION OF COLLABORATIVE CARE!	2562
17	Enter the number of clients served under the supervision of a licensed physician and surgeon. IMPORTANT: SEE DEFINITION OF SUPERVISION!	112

SECTION E - OUTCOMES PER COUNTY IN WHICH BIRTH, FETAL DEMISE, OR INFANT OR MATERNAL DEATH OCCURRED

(A1) County Code	(A2) County Name	(B) # of Live Births	(C) # of Cases Fetal Demise	(D) # of Infant Deaths	(E) # of Maternal Deaths	(A1) County Code	(A2) County Name	(B) # of Live Births	(C) # of Cases Fetal Demise	(D) # of Infant Deaths	(E) # of Maternal Deaths
01	ALAMEDA	247	0	0	0	31	PLACER	62	0	0	0
02	ALPINE	1	0	0	0	32	PLUMAS	6	0	0	0
03	AMADOR	4	0	0	0	33	RIVERSIDE	126	1	0	0
04	BUTTE	20	0	0	0	34	SACRAMENTO	91	0	0	0
05	CALAVERAS	6	0	0	0	35	SAN BENITO	5	0	0	0
06	COLUSA	1	0	0	0		SAN				
07	CONTRA COSTA	37	0	0	0	36	BERNARDINO	166	1	0	0
08	DEL NORTE	2	0	0	0	37	SAN DIEGO	229	0	0	0
09	EL DORADO	31	0	0	0	38	SAN FRANCISCO	114	0	0	0
10	FRESNO	33	0	0	0	39	SAN JOAQUIN	16	0	0	0
11	GLENN	1	0	0	0	40	SAN LUIS	88	0	0	0
12	HUMBOLDT	65	0	0	0		OBISPO		_		
13	IMPERIAL	0	0	0	0	41	SAN MATEO	31	0	0	0
14	INYO	1	0	0	0	42	SANTA BARBARA	102	0	0	0
15	KERN	62	0	0	0	43	SANTA CLARA	113	1	0	0
16	KINGS	3	0	0	0	44	SANTA CRUZ	75	0	0	0
17	LAKE	3	0	0	0	45	SHASTA	103	0	0	0
18	LASSEN	9	0	0	0	46	SIERRA	1	0	0	0
19	LOS ANGELES	510	2	0	0	47	SISKIYOU	11	0	0	0
20	MADERA	5	0	0	0	48	SOLANO	22	0	0	0
21	MARIN	49	0	0	0	49	SONOMA	159	1	0	0
22	MARIPOSA	5	0	0	0	50	STANISLAUS	26	0	0	0
23	MENDOCINO	65	0	0	0	51	SUTTER	6	0	0	0
24	MERCED	5	0	0	0	52	TEHAMA	7	0	0	0
25	MODOC	0	0	0	0	53	TRINITY	1	0	0	0
26	MONO	1	0	0	0	54	TULARE	10	0	0	0
27	MONTEREY	50	0	0	0	55	TUOLUMNE	40	1	0	0
28	NAPA	23	0	0	0	56	VENTURA	129	0	0	0
29	NEVADA	71	0	0	0	57	YOLO	27	0	0	0
				·		58	YUBA	20	0	0	0

SECTION F - OUTCOMES OF OUT-OF-HOSPITAL BIRTHS

020120111	COTOCTIES OF COT OF HOST TIME BERTIES	
Line No.		Total #
19	Number of planned out-of-hospital births at the onset of labor	3616
20	Number of completed births in an out-of-hospital setting	3082
21	Breech deliveries	12
22	Successful VBAC's	172
23	Twins both delivered out-of-hospital	0
24	Higher Order Multiples - all delivered out-of-hospital	0

SECTION G - ANTEPARTUM TRANSFER OF CARE, ELECTIVE/NON-EMERGENCY

Line No.	Code	Reason	Total #
25	G1	Medical or mental health conditions unrelated to pregnancy	16
26	G2	Hypertension developed in pregnancy	45
27	G3	Blood coagulation disorders, including phlebitis	1
28	G4	Anemia	2
29	G5	Persistent vomiting with dehydration	3
30	G6	Nutritional & weight loss issues, failure to gain weight	1
31	G7	Gestational diabetes	9
32	G8	Vaginal bleeding	6
33	G9	Suspected or known placental anomalies or implantation abnormalities	14
34	G10	Loss of pregnancy (includes spontaneous and elective abortion)	60
35	G11	HIV test positive	0
36	G12	Suspected intrauterine growth restriction, suspected macrosomia	12
37	G12.1	Fetal anomalies	5
38	G13	Abnormal amniotic fluid volumes; oligohydramnios or polyhydramnios	17
39	G14	Fetal heart irregularities	8
40	G15	Non vertex lie at term	45
41	G16	Multiple gestation	18
42	G17	Clinical judgment of the midwife (where a single other condition above does not apply)	26
43	G18	Client request	48
44	G19	Other	70

SECTION H - ANTEPARTUM TRANSFER OF CARE, URGENT/EMERGENCY

Line No.	Code	Reason	Total #
45	H1	Non pregnancy-related medical condition	17
46	H2	Severe or persistent headache, pregnancy-induced hypertension (PIH), or preeclampsia	24
47	Н3	Isoimmunization, severe anemia, or other blood related issues	1
48	H4	Significant infection	0
49	H5	Significant vaginal bleeding	11
50	H6	Preterm labor or preterm rupture of membranes	38
51	H7	Marked decrease in fetal movement, abnormal fetal heart tones, non-reassuring non-stress test (NST)	6
52	H8	Fetal demise	5
53	H9	Clinical judgment of the midwife (where a single other condition above does not apply)	5
54	H10	Other	7

SECTION I – INTRAPARTUM TRANSFER OF CARE, ELECTIVE/NON-EMERGENCY

Line No.	Code	Reason	Total #
55	I1	Persistent hypertension; severe or persistent headache	9
56	12	Active herpes lesion	0
57	13	Abnormal bleeding	2
58	14	Signs of infection	8
59	15	Prolonged rupture of membranes	31
60	16	Lack of progress; maternal exhaustion; dehydration	231
61	17	Thick meconium in the absence of fetal distress	16
62	18	Non-vertex presentation	18
63	19	Unstable lie or mal-position of the vertex	6
64	I10	Multiple gestation (NO BABIES DELIVERED PRIOR TO TRANSFER)	1
65	l11	Clinical judgment of the midwife (where a single other condition above does not apply)	29
66	l12	Client request; request for medical methods of pain relief	71
67	I13	Other	11

SECTION J - INTRAPARTUM TRANSFER OF CARE, URGENT/EMERGENCY

		ARTON TRANSPER OF CARE, ORGENT, EMERGENCE	
Line No.	Code	Reason	Total #
68	J1	Suspected preeclampsia, eclampsia, seizures	3
69	J2	Significant vaginal bleeding; suspected placental abruption; severe abdominal pain inconsistent with normal labor	5
70	J3	Suspected uterine rupture	1
71	J4	Maternal shock, loss of consciousness	0
72	J5	Prolapsed umbilical cord	2
73	J6	Non-reassuring fetal heart tones and/or signs or symptoms of fetal distress	30
74	J7	Clinical judgment of the midwife (where a single other condition above does not apply)	1
75	J8	Other life threatening conditions or symptoms	2
76	J9	Multiple gestation (AT LEAST ONE BABY HAS BEEN DELIVERED OUT-OF-HOSPITAL)	1

SECTION K - POSTPARTUM TRANSFER OF CARE - MOTHER, ELECTIVE/NON-EMERGENCY

Line No.	Code	Reason	Total #
77	K1	Adherent or retained placenta without significant bleeding	20
78	K2	Repair of laceration beyond level of midwife's expertise	22
79	K3	Postpartum depression	4
80	K4	Social, emotional or physical conditions outside of scope of practice	0
81	K5	Excessive or prolonged bleeding in later postpartum period	7
82	K6	Signs of infection	1
83	K7	Clinical judgment of the midwife (where a single other condition above does not apply)	1
84	K8	Client request	8
85	K9	Other	2

SECTION L - POSTPARTUM TRANSFER OF CARE - MOTHER, URGENT/EMERGENCY

Line No.	Code	Reason	Total #
86	L1	Abnormal or unstable vital signs	4
87	L2	Uterine inversion, rupture or prolapse	2
88	L3	Uncontrolled hemorrhage	11
89	L4	Seizures or unconsciousness, shock	4
90	L5	Adherent or retained placenta with significant bleeding	21
91	L6	Suspected postpartum psychosis	0
92	L7	Signs of significant infection	4
93	L8	Clinical judgment of the midwife (where a single other condition above does not apply)	5
94	L9	Other	5

SECTION M - TRANSFER OF CARE - INFANT, ELECTIVE/NON-EMERGENCY

Line No.	Code	Reason	Total #
95	M1	Low birth weight	3
96	M2	Congenital anomalies	2
97	M2.1	Birth injury	0
98	М3	Poor transition to extrauterine life	10
99	M4	Insufficient passage of urine or meconium	0
100	M5	Parental request	0
101	M6	Clinical judgment of the midwife (where a single other condition above does not apply)	6
102	M7	Other	4

SECTION N - TRANSFER OF CARE - INFANT, URGENT/EMERGENCY

Line No.	Code	Reason	Total #
103	N1	Abnormal vital signs or color, poor tone, lethargy, no interest in nursing	13
104	N2	Signs or symptoms of infection	4
105	N3	Abnormal cry, seizures or loss of consciousness	0
106	N4	Significant jaundice at birth or within 30 hours	3
107	N5	Evidence of clinically significant prematurity	0
108	N6	Congenital anomalies	3
109	N6.1	Birth injury	0
110	N7	Significant dehydration or depression of fontanelles	0
111	N8	Significant cardiac or respiratory issues	22
112	N9	Ten minute APGAR score of six (6) or less	3
113	N10	Abnormal bulging of fontanelles	0
114	N11	Clinical judgment of the midwife (where a single other condition above does not apply)	4
115	N12	Other	2

SECTION O - BIRTH OUTCOMES AFTER TRANSFER OF CARE

Line No.	Reason	(A) Total # of Vaginal Births		(B) Total # of Caesarean Deliveries	
MOTHER		Code		Code	
116	Without complication	01	594	08	238
117	With serious pregnancy/birth related medical complications resolved by 6 weeks	O2	10	O9	16
118	With serious pregnancy/birth related medical complications not resolved by 6 weeks	О3	1	O10	0
119	Death of mother	O4	0	011	1
120	Unknown	O5	4	O12	0
121	Information not obtainable	O6	0	O13	0
122	Other	07	0	014	1
INFANT					
123	Healthy live born infant	O15	561	O24	212
124	With serious pregnancy/birth related medical complications resolved by 4 weeks	O16	20	O25	3
125	With serious pregnancy/birth related medical complications not resolved by 4 weeks	017	4	O26	3
126	Fetal demise diagnosed prior to labor	O18	3	O27	0
127	Fetal demise diagnosed during labor or at delivery	O19	3	O28	1
128	Live born infant who subsequently died	O20	1	O29	1
129	Unknown	O21	0	O30	0
130	Information not obtainable	O22	0	O31	0
131	Other	O23	5	O32	1

SECTION P - COMPLICATIONS LEADING TO MATERNAL AND/OR INFANT MORTALITY

Line No. Complication		Out-of-Hospital (A)		Afte	After Transfer (B)		Total # from (A) and (B) (C)	
MOTHER		Code		Code		Code		
132	Blood loss	P8	0	P15	0	P1	0	
133	Sepsis	P9	0	P16	0	P2	0	
134	Eclampsia/toxemia or HELLP syndrome	P10	0	P17	0	P3	0	
135	Embolism (pulmonary or amniotic fluid)	P11	0	P18	1	P4	1	
136	Unknown	P12	0	P19	0	P5	0	
137	Information not obtainable	P13	0	P20	0	P6	0	
138	138 Other		0	P21	0	P7	0	
INFANT								
139	Anomaly incompatible with life	P30	0	P38	1	P22	1	
140	Infection	P31	0	P39	0	P23	0	
141	Meconium aspiration, other respiratory	P32	0	P40	0	P24	0	
142	Neurological issues/seizures	P33	0	P41	0	P25	0	
143	Other medical issue	P34	0	P42	0	P26	0	
144	Unknown	P35	0	P43	0	P27	0	
145		P36	0	P44	0	P28	0	

	Information not obtainable							
146	Other	P37	0	P45	1	P29	1	